

# MASTER TL-E Circular Super 80

#### TL-E 32W/840 1CT/12

This circular TL lamp (tube diameter 29 mm) enables omni-directional light distribution. It is suitable for use in a wide range of luminaires for various purposes, including decorative ones, in 'human' applications such as schools, offices, shops and homes, and for lighting of residential areas.

#### Product data

#### • General Information

Cap-Base G10Q [ G10q] Life To 50% Failures 9000 h (Nom)

#### • Light Technical

Color Code 840 [ CCT of 4000K (841)] Luminous Flux 2375 lm (Nom) Luminous Flux 2375 lm (Rated) (Nom) Color Designation Cool White (CW) Chromaticity Coordinate X (Nom) 379 Chromaticity Coordinate Y (Nom) 4100 K Correlated Color Temperature (Nom) 74 lm/W Luminous Efficacy (rated) (Nom) Color Rendering Index (Nom)

#### Operating and Electrical

Power (Rated) 32.0 W (Nom) Lamp Current (Nom) 0.450 A

#### • Temperature

Design Temperature 25 °C (Nom)

#### • Controls and Dimming

Dimmable Yes

#### • Approval and Application

Energy Efficiency A
Label (EEL)
Mercury (Hg) 8 mg
Content (Nom)

#### • Product Data

Full product code
Order product name
EAN/UPC - Product
Order code
Numerator - Quantity Per Pack
Numerator - Packs
per outer box

871150055968515
TL-E 32W/840 1CT/12
8711500559685
928026384070
1
1
12

Material Nr. (12NC) 928026384070 Net Weight (Piece) 208.330 g ILCOS Code FSC-32/40/1B-E-G10q-29/299




## MASTER TL-E Circular Super 80

## Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

## Dimensional drawing





TL-E 32W/840

Product	D	D	E	E	1	I
TL-E 32W/840 1CT/12	30.9 mm	27.1 mm	299.0 mm	303.5 mm	241.0 mm	246.0 mm



### Photometric data







Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.